



$$D_S^{*+} \rightarrow D_S^+ e^+ e^-$$

Souvik Das, Anders Ryd
Cornell University

Contents

Reprocessing Campaign Frontline

	Pass2		DTag		N-Tuplize
39	20060117_P2 PASS2-C_5	Done	20060224_FULL_1 Analysis-C_5	Done	Done
40	20060802_P2 PASS2-C_6	Done	20060224_FULL_1 Analysis-C_6	Submitted	
41	20060802_P2 PASS2-C_6	Done	20060224_FULL_1 Analysis-C_6		
47	20071023_P2 PASS2-C_6	Done	20060224_FULL_A_3 Analysis-C_6	Done	Done Missed DTags ~ 0.18% New DTags ~ 0.11%
48	20071023_P2 PASS2-C_6	Done	20060224_FULL_A_3 Analysis-C_6	Done	Done Missed DTags ~ 0.15% New DTags ~ 0.08%

Datasets moved from /an2 to /an3. MC still in /an2. Will request for backup of /an3.

Electron-fitted Optimization Strategy

We are producing $D_s^* \rightarrow D_s$ gamma samples privately, where both D_s 's decay generically. The electron fit is turned on these.

We veto events in the generic MC that have $D_s^* \rightarrow D_s$ gamma in their MC truth. And replace them with events from the above electron-fitted MC sample.

Settling on cuts.

